

Telephone: **Water Lab:** (091) 544954 **Food Lab:** (091) 544786 **Lab Office** (091) 544916 Fax: (091) 542238

Report Number: W-1212/14 **Issue Date:** 06/05/2014 **Page 1 of 1**

Report to: Michael Murphy, Caheradoo, Kilcolgan, Co. Galway

Sample Taken by: Michael Murphy

SoP17 Sample: Not Applicable

Sanitary Authority: Private Supply

Reason for Sampling: Not applicable

Name of Supply: Kiltiernan GWS, c/o Michael Murphy, Caheradoo

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: Michael Murphy, Kiltiernan GWS

Date of Sampling: 01-May-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 01-May-2014


Date Analysed: 01-May-2014

Condition of Sample on Receipt: Satisfactory


TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.



Authorised by: Enda Burke,
Technical Manager



Certified by: Dr. Deirbhile Keady
Consultant Microbiologist

THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL, AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT, UNIVERSITY HOSPITAL GALWAY.

*** DENOTES NON-ACCREDITED TEST OR REPORT COMMENT**

Telephone: **Water Lab:** (091) 544954 **Food Lab:** (091) 544786 **Lab Office** (091) 544916 Fax: (091) 542238

Report Number: W-1213/14

Issue Date: 06/05/2014

Page 1 of 1

Report to: Michael Murphy, Caheradoo, Kilcolgan, Co. Galway

Sample Taken by: Michael J. Murphy

SoP17 Sample: Not Applicable

Sanitary Authority: Private Supply

Reason for Sampling: Not applicable

Name of Supply: Kiltiernan GWS, c/o Michael Murphy, Caheradoo

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: Sean Neill, Kiltiernan GWS

Date of Sampling: 01-May-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 01-May-2014

Date Analysed: 01-May-2014


Condition of Sample on Receipt: Satisfactory

TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.


Authorised by: Enda Burke,
Technical Manager


Certified by: Dr. Deirbhile Keedy
Consultant Microbiologist

**THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL,
AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY
LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT,
UNIVERSITY HOSPITAL GALWAY.**

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT

Telephone: **Water Lab:** (091) 544954 **Food Lab:** (091) 544786 **Lab Office** (091) 544916 Fax: (091) 542238

Report Number.: W-889/14	Issue Date: 04/04/2014	Page 1 of 1
---------------------------------	-------------------------------	--------------------

Report to: Michael Murphy, Caheradoo, Kilcolgan, Co. Galway

Sample Taken by: Michael Murphy

SoP17 Sample:No

Sanitary Authority: Private Supply

Reason for Sampling: Not Indicated

Name of Supply: Marie Shiels, Kiltiernan GWS

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: Marie Shiels, Kiltiernan GWS, Old bore

Date of Sampling: 03-Apr-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 03-Apr-2014

Date Analysed: 03-Apr-2014

Condition of Sample on Receipt: Satisfactory

TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.

Angela Quinn

Authorised by: Angela Quinn
Quality Manager

Dr Teck Wee Boo

Certified by: Dr Teck Wee Boo
Consultant Microbiologist

**THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL,
AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY
LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT,
UNIVERSITY HOSPITAL GALWAY.**

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT

Telephone: Water Lab: (091) 544954 Food Lab: (091) 544786 Lab Office (091) 544916 Fax: (091) 542238

Report Number.: W-518/14

Issue Date: 28/02/2014

Page 1 of 1

Report to: Michael Murphy, Kiltiernan GWS, Caherado, Kilcolgan, Co. Galway

Sample Taken by: Michael Murphy

SoP17 Sample: No

Sanitary Authority: Private Supply

Reason for Sampling: Not Indicated

Name of Supply: Michael Murphy, Kiltiernan GWS, Caherado,

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: A. Dillon

Date of Sampling: 27-Feb-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 27-Feb-2014

Date Analysed: 27-Feb-2014

Condition of Sample on Receipt: Satisfactory

TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.


Authorised by: Enda Burke,
Technical Manager


Certified by: Dr. Una Ni Riain
Consultant Microbiologist

THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL, AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT, UNIVERSITY HOSPITAL GALWAY.

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT

Telephone: Water Lab: (091) 544954 Food Lab: (091) 544786 Lab Office (091) 544916 Fax: (091) 542238

Report Number.: W-519/14

Issue Date: 28/02/2014

Page 1 of 1

Report to: Michael Murphy, Kiltiernan GWS, Caherado, , Kilcolgan, Co. Galway

Sample Taken by: Michael Murphy

SoP17 Sample:No

Sanitary Authority: Private Supply

Reason for Sampling: Not Indicated

Name of Supply: Michael Murphy, Kiltiernan GWS, Caheradoo

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: Kiltiernan School

Date of Sampling: 27-Feb-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 27-Feb-2014


Date Analysed: 27-Feb-2014

Condition of Sample on Receipt: Satisfactory


TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.



Authorised by: Enda Burke,
Technical Manager



Certified by: Dr. Una Ni Riain
Consultant Microbiologist

THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL,
AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY
LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT,
UNIVERSITY HOSPITAL GALWAY.

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT

Telephone: **Water Lab:** (091) 544954 **Food Lab:** (091) 544786 **Lab Office** (091) 544916 Fax: (091) 542238

Report Number.: W-243/14

Issue Date: 03/02/2014

Page 1 of 1

Report to: Michael Murphy, Kiltiernan GWS, Caheradoo, Kilcolgan, Co. Galway

Sample Taken by: Michael Murphy

SoP17 Sample: Not Applicable

Sanitary Authority: Private Supply

Reason for Sampling: Not applicable

Name of Supply: Kiltiernan GWS, Caheradoo, Kilcolgan

Supply Code:

Water Sample Type: Old Bore

Is Water Treated?: Chlorinated and UV light

Sampling Point: Kiltiernan GWS, Caheradoo, Kilcolgan

Date of Sampling: 30-Jan-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 30-Jan-2014

Date Analysed: 30-Jan-2014

Condition of Sample on Receipt: Satisfactory

TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.

Angela Quinn

Authorised by: Angela Quinn
Quality Manager

Eithne McCarthy

Certified by: Dr. Eithne McCarthy
Consultant Microbiologist

THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL, AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT, UNIVERSITY HOSPITAL GALWAY.

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT

Telephone: **Water Lab:** (091) 544954 **Food Lab:** (091) 544786 **Lab Office** (091) 544916 Fax: (091) 542238

Report Number.: W-3/14

Issue Date: 06/01/2014

Page 1 of 1

Report to: Michael Murphy, Caheradoo, Kilcolgan, Co Galway

Sample Taken by: Michael Murphy

SoP17 Sample:No

Sanitary Authority: Private Supply

Reason for Sampling: Not Indicated

Name of Supply: Kiltiernan Group Water Scheme

Supply Code:

Water Sample Type: Group Water Scheme - Private

Is Water Treated?: Chlorinated and UV light

Sampling Point: Michael Murphy, Caheradoo, Kilcolgan - Old Bore Well

Date of Sampling: 03-Jan-2014

Note: All the information in the previous section, (including measurements), is supplied by the customer to the laboratory

WATER ANALYTICAL TEST REPORT

Date Received: 03-Jan-2014

Date Analysed: 03-Jan-2014

Condition of Sample on Receipt: Satisfactory

TEST	Lab Method No.	TEST Specification	RESULT	UNITS
MPN of Coliforms per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml
MPN of E.coli per 100mls	W18	Based on Environment Agency UK: MDW (2009)	not detected	MPN per 100ml

Test Report Comment*

At the time of sampling this water was acceptable with respect to the bacteriological parameters assessed. This result does not exclude the possibility that the water could contain infectious virus, parasites or chemical contaminants.

Angela Quinn

Authorised by: Angela Quinn,
Deputy Quality Manager

Eithne McCarthy

Certified by: Dr. Eithne McCarthy
Consultant Microbiologist

THIS REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL, AND WITH THE APPROVAL OF THE WATER TESTING SECTION, PUBLIC HEALTH MICROBIOLOGY LABORATORY, MEDICAL MICROBIOLOGY DEPARTMENT, UNIVERSITY HOSPITAL GALWAY.

* DENOTES NON-ACCREDITED TEST OR REPORT COMMENT